




100
Network
Figure 1
RSW9-99-108



300
Client
Figure 3
RSW9-99-108

**Figure 5**

RSW9-99-108



600
Figure 6
RSW9-99-108

```
<HASCRIPT name="VMLinks" timeout="50000" >
```

```
<screen name="Ready" transient="false" entrscreen="true" exitscreen="false">
```

```
<description>
```

```
<ola status="NOTINHIBITED" />
```

```
<cursor row="23" col="1" />
```

```
<string value="Ready;" />
```

```
</description>
```

```
<nextscreens>
```

```
<nextscreen name="Puborder.main">
```

```
<input value="puborder[enter]" />
```

```
</nextscreen>
```

```
<nextscreen name="Callup.main">
```

```
<input value="callup[enter]" />
```

```
</nextscreen>
```

```
</nextscreens>
```

```
</screen>
```

702

```
<screen name="Puborder.main" transient="false" entrscreen="false" exitscreen="false">
```

```
<description>
```

```
<ola status="NOTINHIBITED" />
```

```
<cursor row="14" col="3" />
```

```
</description>
```

```
<nextscreens>
```

```
<nextscreen name="Puborder.search">
```

```
<input value="[pf9]" />
```

```
</nextscreen>
```

```
<nextscreen name="Ready">
```

```
<input value="[pf3]" />
```

```
</nextscreen>
```

```
</nextscreens>
```

```
</screen>
```

704

```
<screen name="Puborder.search" transient="false" entrscreen="false" exitscreen="false">
```

```
<description>
```

```
<ola status="NOTINHIBITED" />
```

```
<cursor row="6" col="18"/>
```

```
<string value="SEARCH WORDS:" />
```

```
</description>
```

```
<nextscreens >
```

```
<nextscreen name="Puborder.main">
```

```
<input value="[pf3]" />
```

```
</nextscreen>
```

```
<nextscreen name="Puborder.search.result">
```

```
<prompt name="Search Words" row="6" col="18" len="32" clearfield="true" />
```

```
<input value="[enter]" />
```

```
</nextscreen>
```

```
</nextscreens>
```

```
<comment>
```

```
Note: the puborder search result screen is not included in this macro for brevity's sake.
```

```
</comment>
```

```
</screen>
```

706

Figure 7A

RSW9-99-108